

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	("6214733.pn.6033995.pn.5827751.pn.5465009.pn.5401983.pn.5286335.pn.5280184.pn.5244818.pn.5073230.pn.5391257.pn.").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/17 12:28
S2	0	("6214733.pn.6033995.pn.5827751.pn.5465009.pn.5401983.pn.5286335.pn.5280184.pn.5244818.pn.5073230.pn.5391257.pn.").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/17 12:28
S3	0	("6214733.pn.").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/17 12:29
S4	1	"6214733".pn.	US-PGPUB; USPAT	OR	ON	2004/11/17 12:29
S5	10	"5827751".pn. "5465009".pn. "5401983".pn. "5286335".pn. "5280184".pn. "5244818".pn. "5073230".pn. "5391257".pn. "6124733".pn. "6033995".pn.	US-PGPUB; USPAT	OR	ON	2004/11/17 12:38
S6	0	S5 and vcsel and photo\$2diode and wave\$2guide	US-PGPUB; USPAT	OR	ON	2004/11/17 12:36
S7	0	S5 and laser and wave\$2guide	US-PGPUB; USPAT	OR	ON	2004/11/17 12:36
S8	9	S5 and substrate	US-PGPUB; USPAT	OR	ON	2004/11/17 12:40
S9	0	S5 and wave\$2guide\$2	US-PGPUB; USPAT	OR	ON	2004/11/17 12:39
S10	7	S5 and substrate and laser\$2	US-PGPUB; USPAT	OR	ON	2004/11/17 12:51
S11	1	S10 and micro	US-PGPUB; USPAT	OR	ON	2004/11/17 12:49
S12	2	S10 and flip\$4	US-PGPUB; USPAT	OR	ON	2004/11/17 12:52
S13	2	S10 and flip\$5	US-PGPUB; USPAT	OR	ON	2004/11/17 12:52
S14	9	S5 and optic\$4	US-PGPUB; USPAT	OR	ON	2004/11/17 12:52
S15	0	S5 and optic\$4 and filp\$3chip	US-PGPUB; USPAT	OR	ON	2004/11/17 12:53
S16	2	S5 and optic\$4 and flip\$5	US-PGPUB; USPAT	OR	ON	2004/11/17 12:55
S17	5	S5 and interconnect\$3	US-PGPUB; USPAT	OR	ON	2004/11/17 12:55
S18	2	S5 and interconnect\$3 and electrode\$2	US-PGPUB; USPAT	OR	ON	2004/11/17 12:54

S19	0	S5 and interconnect\$3 and electrode\$2 and filp\$5	US-PGPUB; USPAT	OR	ON	2004/11/17 12:54
S20	446	"385"/\$.ccls. and circuit and micro and laser and wave\$2guide and chip\$2	US-PGPUB; USPAT	OR	ON	2004/11/17 12:57
S21	125	"385"/14.ccls. and circuit and micro and laser and wave\$2guide and chip\$2	US-PGPUB; USPAT	OR	ON	2004/11/17 12:58
S22	58	S21 and electrode	US-PGPUB; USPAT	OR	ON	2004/11/17 12:59
S23	40	S21 and electrode and diode\$3	US-PGPUB; USPAT	OR	ON	2004/11/17 16:48
S24	38	S23 and emit\$6	US-PGPUB; USPAT	OR	ON	2004/11/17 16:01
S25	5	S24 and treat\$3	US-PGPUB; USPAT	OR	ON	2004/11/17 16:01
S26	23	S24 and scatter\$5	US-PGPUB; USPAT	OR	ON	2004/11/18 14:08
S27	3	S24 and (scatter\$5 with resin)	US-PGPUB; USPAT	OR	ON	2004/11/17 16:54
S28	3	S22 and (scatt\$5 with resin)	US-PGPUB; USPAT	OR	ON	2004/11/17 17:00
S29	7	S24 and (flat with panel)	US-PGPUB; USPAT	OR	ON	2004/11/17 17:03
S30	12	S24 and display	US-PGPUB; USPAT	OR	ON	2004/11/17 18:00
S31	33	S22 and scat\$7	US-PGPUB; USPAT	OR	ON	2004/11/17 17:09
S32	15	S22 and scat\$7 and display	US-PGPUB; USPAT	OR	ON	2004/11/17 18:05
S33	18	"385"/\$.ccls. and chip and wave\$2guide\$2 and (scatt\$5 with resin\$2) and emit\$5 and laser and circuit	US-PGPUB; USPAT	OR	ON	2004/11/17 17:21
S34	6	S24 and display and clock	US-PGPUB; USPAT	OR	ON	2004/11/17 18:00
S35	17	S22 and (scat\$7 diffus\$5) and display	US-PGPUB; USPAT	OR	ON	2004/11/17 18:13
S36	19	S22 and display	US-PGPUB; USPAT	OR	ON	2004/11/17 18:13
S37	1	("6690845".pn. "6522794".pn.) and (time with control)\	US-PGPUB; USPAT	OR	ON	2004/11/18 13:21
S38	2	("6690845".pn. "6522794".pn.) and (time with control\$4)	US-PGPUB; USPAT	OR	ON	2004/11/18 13:27
S39	1	("6690845".pn. "6522794".pn.) and clock	US-PGPUB; USPAT	OR	ON	2004/11/18 13:28

S40	2489	(timing with circuit\$2) and "385"/	US-PGPUB; USPAT	OR	ON	2004/11/18 13:29
S41	0	(timing with circuit\$2) and "385"/\$. ccls	US-PGPUB; USPAT	OR	ON	2004/11/18 13:29
S42	211	(timing with circuit\$2) and "385"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2004/11/18 13:31
S43	0	(timing\$3circuit\$2) and "385"/\$. ccls.	US-PGPUB; USPAT	OR	ON	2004/11/18 13:30
S44	88	(timing with circuit\$2 with control) and "385"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2004/11/18 13:33
S45	34	(timing with circuit\$2 with clock with signal) and "385"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2004/11/18 13:34
S46	125	"385"/14.ccls. and circuit and micro and laser and wave\$2guide and chip\$2	US-PGPUB; USPAT	OR	ON	2004/11/18 14:08
S47	40	S46 and electrode and diode\$3	US-PGPUB; USPAT	OR	ON	2004/11/18 14:08
S48	38	S47 and emit\$6	US-PGPUB; USPAT	OR	ON	2004/11/18 14:08
S49	3	S48 and scatter\$5 and lsi and display	US-PGPUB; USPAT	OR	ON	2004/11/18 14:09
S50	4	S47 and lsi and display	US-PGPUB; USPAT	OR	ON	2004/11/18 14:17
S51	0	S47 and lsi and display15 and solder	US-PGPUB; USPAT	OR	ON	2004/11/18 14:16
S52	3	S50 and bond\$5	US-PGPUB; USPAT	OR	ON	2004/11/18 14:31
S53	1	S50 and bond\$5 and bump	US-PGPUB; USPAT	OR	ON	2004/11/18 14:18
S54	3	S50 and bond\$5 and (scatt\$6 diffu\$6)	US-PGPUB; USPAT	OR	ON	2004/11/18 14:34
S55	1	"6693736".pn. and laser	US-PGPUB; USPAT	OR	ON	2004/11/18 17:04
S56	0	"6693736".pn. and flip	US-PGPUB; USPAT	OR	ON	2004/11/18 15:08
S57	0	"6693736".pn. and pad	US-PGPUB; USPAT	OR	ON	2004/11/18 15:18
S58	1	"6693736".pn. and reflect\$4	US-PGPUB; USPAT	OR	ON	2004/11/18 15:30
S59	1	"6693736".pn. and (light with enter\$5 with waveguide)	US-PGPUB; USPAT	OR	ON	2004/11/18 15:38
S60	0	"6693736".pn. and (light with introduc\$5 with waveguide)	US-PGPUB; USPAT	OR	ON	2004/11/18 15:31
S61	1	"6693736".pn. and electrode	US-PGPUB; USPAT	OR	ON	2004/11/18 15:41

S62	1	"6693736".pn. and (wire bond\$5 pad)	US-PGPUB; USPAT	OR	ON	2004/11/18 15:58
S63	0	"6693736".pn. and (arrays with wavelength\$2)	US-PGPUB; USPAT	OR	ON	2004/11/18 15:59
S64	1	"6693736".pn. and (arrays)	US-PGPUB; USPAT	OR	ON	2004/11/18 16:41
S65	11	S48 and (array\$2 with wavelength)	US-PGPUB; USPAT	OR	ON	2004/11/18 16:29
S66	0	"6693736".pn. and display	US-PGPUB; USPAT	OR	ON	2004/11/18 16:41
S67	1	"6693736".pn. and driv\$4 and (time control)	US-PGPUB; USPAT	OR	ON	2004/11/18 17:05